

1953

PROUD, D.

(1949-~~1950~~¹⁹⁵⁰-54)

55	138	<i>Nesocichla eremita gordoni</i>	♂ ♂ ♂ ♀ -	Inaccessible Is. Tristan da Cunha	10	5	50	976
9	"	" "	"	"	8	5	50	971
140	"	" "	"	"	8	5	50	975
1	"	" "	"	"	8	3	51	1017
2	"	" eremita	♀ -	Sandy Point,	20	4	50	73
3	"	" "	?♂ ?	"	6	4	51	1119
4	"	" "	?♂ ?	"	6	7	51	1118
5	"	" "	♀ ♀	"	29	7	50	991
6	"	" "	♀ ♀	"	4	11	51	1042
7	"	" "	♂	"	4	11	51	1041
8	Nesospiza acunhae questi	chick	spirit	Nightingale Is.	5	12	50	
9	Rowettia goughensis	Gough Is.	♀	"	20	2	52	105
150	"	"	♀ ♀	"	25	2	52	106
1	"	"	"	"	23	2	52	1059
2	"	"	♀ ♂	"	21	2	52	1056
3	"	"	"	"	21	2	52	1058
4	Hirundo rustica erythrogaster	♂	"	"	30	10	52	1124
5	Nesospiza wilkinsi wilkinsi	♀	"	Nightingale Is.	12	1	51	1011
6	"	" "	♂	"	6	4	50	956
7	"	" "	♂	"	6	4	50	957
8	"	" "	♀	"	16	9	51	1036
9	"	" "	♂ ♂	"	4	4	50	958
160	"	"	♂ ♂	"	7	4	50	959
1	"	dunnei	♀	"	27	5	62	1089
2	"	acunhae acunhae	♂	Inaccessible Is.	10	5	60	985
3	"	" "	♂	"	27	5	52	1088
4	"	" "	♂	"	27	5	32	1089
5	"	" "	♂	"	9	5	50	982
6	"	" "	♂ ♂	"	8	3	51	1016
7	"	" "	♂	"	10	5	50	984
8	"	questi	♂	Nightingale Is.	15	9	51	1037
9	"	" "	♀	"	2	4	50	960
170	"	" "	♀ ♂	"	31	3	50	961
1	"	" "	?♂	"	-	11	50	1116
2	"	" "	♀	"	12	4	50	962
3	"	" "	?♀	"	-	11	50	1117
4	"	" "	♂	"	4	12	50	1002
56	Picus canus canus	♂	Godavari, S. Nepal Valley, 5500'	6	4	52		
1	Picumnus innominatus	♀	" 5400', South Nepal Valley	-	1	52		
2	Riparia paludicola chinensis	♀	imm. Bagmati, 4400'	6	4	52		
3	Delichon nipalensis chinensis	♂	Sheopuri, 6000', north of	9	3	52		
4	Cyornis superciliaris astigma	♂	" " "	14	4	52		
6	"	♀	" " "	14	4	52		
7	Horeutes brunnneifrons	♂ ♂	Mamche Danda, Nepal	7	5	52	21	
8	"	"	Gandak-Kosi watershed, ..	10	5	52	22	
9	Phylloscopus inornatus inornatus	♀ ♂	Nepal Valley	3	4	52		
10	"	"	"	3	4	52		
11	"	"	"	30	3	52		
12	"	"	Embassy Gardens,	"	"	"		
13	"	"	Godavari, South of	15	3	52		

see also 148

MS. Friend.
pls. by J.

Ms. Prod.

56	14	<i>Phylloscopus trochiloides</i>	<i>Trochiloides</i>	♂	Gandak-Kosi watershed, Nepal	13	6	52	
	15	"	"	♂	"	10	6	52	19
	16	"	<i>T. ? nitidus</i>	♂	Embassy Gardens,	20	5	52	
	17	"	"	♀	"	26	5	52	
	18	"	<i>maculipennis</i>	♂	Sandarijal, Nepal Valley	2	2	52	
	19	"	<i>proregulus chloronotus</i>	♂	"	5	3	52	
	20	"	<i>affinis</i>	♀	Sheopuri, north of wheatfields	13	4	52	
	1	<i>Cisticola juncidis cursitans</i>		♂	"	19	4	52	
	2	<i>Scicercus burkii</i>		♂	"	3	4	52	
	3	"	"	♂	Gandak-Kosi watershed,	8	5	52	
	4	<i>Bbrornis schisticeps</i>		♂	Godavari,	25	2	52	
	5	<i>Suthora fulvifrons</i>		♂	Tadi Kola, Gosainkund, Lekh,	14	5	52	11
	6	"	"	♀	"	14	5	52	12
	7	"	"	♂	"	14	5	52	10
	8	<i>Ianthocincla ocellata</i>	<i>ocellata</i>	♂	Gandak-Kosi watershed,	10	5	52	6
	9	<i>Trochalopterum affine</i>	<i>affine</i>	♀	"	9	5	52	
	30	"	"	-	Thare Bate, Central	10	5	52	
	1	<i>Fulvetta vinipecta</i>	<i>vinipecta</i>	♂	Gandak-Kosi watershed	26	3	52	
	2	"	"	♂	"	14	5	52	
	3	"	"	♂	"	9	5	52	
	4	<i>Sive cyanouroptera</i>	<i>cyanouroptera</i>	♂	Godavari, south of Nepal Valley	-	3	52	
	5	"	"	♂	"	2	4	52	
	6	<i>Yuhina occipitalis</i>	<i>occipitalis</i>	♂	Sheopuri, north of	9	3	52	
	7	<i>Ixulus flavicollis</i>	<i>flavicollis</i>	♂	Godavari, south of	16	12	51	
	8	<i>Cutia nipalensis</i>	<i>nipalensis</i>	♂	on ridge west of Phulchok, "	10	2	51	
	9	<i>Molpostes cater</i>	<i>bengalensis</i>	♂	foot of Sheopuri, north of	1	3	52	
	40	"	"	♀	Embassy Gardens,	4	3	52	
	1	<i>Certhia familiaris</i>	<i>nipalensis</i>	♀	Gandak-Kosi watershed, Cent.	8	6	52	
	2	<i>Troglodytes troglodytes</i>	<i>nipalensis</i>	♂	"	12	5	52	14
	3	"	"	-	"	5	3	52	
	4	"	"	♂	"	14	5	52	15
	5	<i>Lophophanes dichrous</i>	<i>dichrous</i>	♂	"	11	5	52	5
	6	"	<i>? ater aermodius</i>	♂	"	12	5	52	4
	7	<i>Hemichelidon sibirica</i>	<i>fuliginosa</i>	♀	Godavari, south of	11	4	52	
	8	<i>Pericrocotus ethologus</i>	<i>laetus</i>	♀	Sheopuri, north of	7	4	52	
	9	"	"	♂	"	15	3	52	
	50	"	"	♂	"	23	3	52	
	1	<i>Propasser rodochrous</i>		♀	"	26	2	52	
	2	"	"	♂	"	9	3	52	
	3	"	<i>rodopeplus</i>	♂	Gandak-Kosi watershed,	10	5	52	24
	4	<i>Procarduelis nipalensis</i>		♂	Sheopuri, north of	9	3	52	
	5	<i>Motacilla alba</i>	<i>personata</i>	♂	"	26	4	52	
	6	<i>Anthus roseatus</i>		♀	Thare Bate, Gandak-Kosi watershed,	16	5	52	27
	7	"	"	♀	"	12	5	52	26
	8	<i>Alauda gulgula</i>	<i>guttata</i>	♂	Nepal Valley	-	2	52	
	9	"	"	♂	Gawktarna Hill,	17	2	52	
	10	"	"	♂	"	26	1	52	
	11	<i>Ethopyga ignicauda</i>	<i>ignicauda</i>	♂	Summit of Sheopuri, N. of	23	3	52	
	12	"	"	♂	"	23	3	52	

1953

Mrs Pound

57	1	Turdoides nipalensis	♀	2 m. north-west of Baile Ddi, W. Nepal	14	12	52	28
58	1	Pseudominla castaneiceps castaneiceps	♂	S. Nepal Valley	2	2	53	
	2	" " "	♀	Phil Chok,	2	2	53	14
	3	Erpornis xantholeuca xantholeuca	♂	"	16	2	53	22
	4	Pteruthius xanthochloris xanthochloris	♀	Sheopuri, north of	30	1.	53	11
	5	" " "	♂	"	8	2	53	19
	6	Tesia castanea coronata	♂	"	29	3	53	35
	7	" "	♀	"	19	4	53	43
	8	" cyaniventris cyaniventris	♂	"	21	3	53	31
	9	" pallasii " tenuirostris " " "	♂	stream bed,	29	3	53	34
	10	Cinclus cinclus cashmirensis	♂	on mountain streams	12	4	53	38
	11	Iathia indica indica	♀	Phil Chok,	2	2	53	16
	12	Phylloscopus trochiloides Trochiloides ^{T. ludlowi}	♂	Sheopuri, north of	31	5	53	64
	13	"	♂	"	14	3	53	28
	14	Spinus thibetanus	♀	Sheopuri, "	6	4	53	36
	15	Uroloncha striata acuticauda	♂	"	18	4	53	41
59	1	Sturnus v. vulgaris	?	ONO-I-LAU, FIJI	20	3	53	
	2	"	?	"	20	3	53	
	3	"	IM	"	20	3	53	
	4	"	?	"	20	3	53	
	5	"	?	"	20	3	53	
	6	"	?	IM	20	3	53	
60	1	MELOPSITTACUS undulatus	♂	DIED IN CAPTIVITY	13	9	53	
	2	" "	♀	" " "	24	9	53	
	3	" "	♀	" " "	10	10	53	
61	1	THALURANIA WATERSTONI		DIED IN CAPTIVITY	24	10	53	
62	1	ACANTHISITTA CHLORIS		IM NEW ZEALAND				NO DATA
	2	CYNORHAMPUS LURICERPS		" "				
63	1	ANTILORNIS TUBerculatus		DIED IN CAPTIVITY	6	13		
64	1	DENDROCOLA PETECHIA RUFOPILEATA	♂	SYLVNET, CURACAO, NETHERLANDS ANTILLES	27	10	51	

Mrs Prout

1954

15	1	<i>Accipiter nisus melanostictos</i>		juv.	Pokhara, west-central Nepal	24	11	53	16	
	2	" <i>virgatus</i>	♂		" Valley	4	9	53	7	
	3	<i>Ninox scutulata</i>	-		" "	-	5	53	10	
	4	<i>Glaucomys eucalyptoides</i>	♀		S. "	15	3	53	30	
	5	<i>Glaucomys radiatum</i>	♀		W. "	27	1	50	16	
	6	<i>Columba hodgsoni</i>	♂		S. "	29	3	53	86	
	7	" <i>pulchricollis</i>	♂		N. "	24	5	53	61	
	8	<i>Streptopelia decaocto decaocto</i>			" "	-	-	-	95	
	9	<i>Crocoptes phoenicopterus phoenicopterus</i>	♀		Butwal	W. "	27	1	50	16
	10	<i>Hierococcyx sparveroides</i>	♂		Sheopuri,	N. "	7	5	53	81
	11	<i>Arborophila torqueola</i>	♂		" "	" "	24	5	53	61
	12	<i>Lerna lerna</i>	♂		W. "	" "	6	12	49	18
	13	<i>Eudynamys scolopaceus</i>	♀	juv.	" "	" "	18	8	53	91
	14	<i>Harpactes erythrocephalus</i>	♀		" "	" "	19	4	53	44
	15	<i>Butorides striatus javanicus</i>			Pokhara Lake	W.C.	18	11	53	16
	16	<i>Charadrius dubius jerdoni</i>			" "	" "	26	1	52	10
	17	" " "	♀	juv.	" "	" "	3	5	53	50
	18	<i>Enodia temminckii</i>	♀		" "	" "	3	5	53	52
	19	" "	♂		" "	" "	21	12	52	94
	20	<i>Tringa glareola</i>	♂		" "	" "	28	4	53	48
	1	<i>Philomachus pugnax</i>	♂		Manava River,	" "	16	9	53	71
	2	" "	♂		" "	" "	16	9	53	80
	3	<i>Tringa nebularia</i>	♂		" "	" "	9	9	53	45
	4	<i>Sterna hirundo tibetana</i>	♀	juv.	" "	" "	8	8	53	41
	5	<i>Jynx torquilla</i>	♀		" "	" "	21	1	53	3
	6	<i>Garrulus bisepectularis</i>	♀		" "	" "	-	-	-	41
	4	<i>Micropternus brachyurus</i>	♂		" "	" "	24	9	53	81
	8	" " "	♀		" "	" "	25	6	52	10
	9	<i>Buceros athenoroni</i>			Godavari South Valley	" "	28	1	51	
	30	<i>Megalaema virens</i>			Sheopuri,	N. "	1	2	52	
	1	<i>Dicrurus macrocerus</i>			" "	" "	-	8	-	92
	2	" "			below Lumpet, Baglung dist.	W. "	9	11	49	100
	3	" <i>aeneus aeneus</i>	♂		" "	" "	15	2	53	21
	4	" <i>caerulescens caerulescens</i>			Butwal,	W. "	21	1	50	15
	5	<i>Sturniculus lugubris</i>			" "	" "	27	4	32	92
	6	<i>Turdus boulboul</i>	♀		S. "	" "	13	1	32	12
	7	" "	♂		S. "	" "	14	2	52	12
	8	" <i>castaneus</i>			S. "	" "	13	1	52	12
	9	<i>Oreocincla dauma dauma</i>	♂		Pokhara,	W.C. "	17	11	53	16
	40	" <i>dixoni dixoni</i>	♀		S. "	" "	10	2	52	1
	1	<i>Ianthia cyanura</i>	♂		Sheopuri,	N. "	5	1	53	11
	2	<i>Phoenicurus frontalis</i>	♂		Gandaki-Kosi Watershed	" "	14	6	52	11
	3	<i>Tarsiger chrysaeus</i>	♂		Chandrashila,	S.W. "	25	1	53	97
	4	<i>Saxicola caprata bicolor</i>	♂		" "	" "	18	4	52	42
	5	" <i>ferrea ferrea</i>	♂		Sheopuri,	N. "	14	4	52	11
	6	<i>Alseonax cinereiceps</i>	♂		" "	" "	17	5	53	54
	7	<i>Sula dactylatra</i>			" "	" "	22	11	53	16
	8	<i>Horeutes brunnifrons</i>			" "	" "	22	11	53	17
	9	<i>Siva cyanocephala</i>	♀		Sheopuri,	N. "	30	1	53	10
	50	" "	♂		" "	" "	30	1	53	12

Mus Paud

1954

15	51	<i>Fulvetta vinipecta</i>	♂	N. of Pokhara, Nepal Valley.	23	11	53	17
	2	<i>Liothrix lutea</i>	♀	Sheopuri, N.	28	6	53	61
	3	" "	♂	"	17	5	53	56
	4	" "	♂	S.	14	12	52	-
	5	<i>Minla ignicauda</i>	♂	Sheopuri, N.	24	5	53	62
	6	<i>Meornis flavolivaceus</i>	♂	Pokhara, W.C.	18	11	53	16
	7	" "		Seti Valley	20	11	53	16
	8	<i>Stachyris pyrrhops</i>		S.	8	11	53	14
	9	" <i>chrysaea</i>	♂	Seti Valley, W.C.	25	11	53	18
	60	<i>Parus modestus</i>	♂ imm.	Sheopuri, N.	25	5	53	63
	1	" "		"	-	4	53	10
	2	<i>Sitta frontalis</i>	♂	S.	14	12	52	7
	3	<i>Pachyglossa melanocephala</i>	♂	"	26	12	53	14
	4	<i>Certhia discolor</i>	♂	Godavari,	9	2	53	21
	5	<i>Muscicapa amabilis</i>	♀	"	28	2	54	21
	6	" "	♀	"	28	2	54	22
	7	<i>Cyornis hodgsoni</i>	♂	"	6	3	54	22
	8	<i>Muscicapa</i> "	♂	"	28	2	54	22
	9	<i>Motacilla alba baicalensis</i>	♂	"	21	3	54	23
	40	" "	♀	"	21	3	54	23
	1	<i>Muscicapa superciliosa astigma</i>	♂	Sheopuri,	14	4	52	10
	2	<i>Garrulax striatus</i>	♂	Seti Valley, W.C.	26	11	53	18
	3	" "	♂	S.	8	11	53	14
	4	" <i>erythrocephalum</i>	♂	S.	-	1	51	16
	5	" "	♂	Seti Valley, W.C.	25	11	53	18
	6	" <i>caeruleatus</i>	♂	Sheopuri,	31	5	53	66
	7	" <i>rufogularis</i>	♂	S.	22	12	51	12
	8	<i>Pomatorhinus ruficollis</i>	♂	"	-	2	52	12
	9	" <i>erythrogenys</i>	♂	Chandragiri, S.W.	25	1	53	13
	80	" <i>schisticeps pinwilli</i>	♂	10m. S. of Tansen, W.	9	2	56	51
	1	<i>Garrulax lineatum</i>	♂	Chandragiri	8	2	53	17
	2	<i>Actinodura nipalensis nipalensis</i>	♂?	Seti Valley, W.C.	25	11	53	14
	3	" "		"	26	11	53	17
	4	" "		S.	16	2	52	14
	5	<i>Leioptila capistrata capistrata</i>	♀	Dana, W.	23	11	49	109
	6	<i>Alcurus striatus</i>	♂?	S.	11	3	53	121
	7	<i>Chloropsis hardwickii</i>	♂	"	1	3	53	85
	8	<i>Bellopygia sipara</i>	juv.	Pokhara, W.C.	18	11	53	157
	9	" <i>nipalensis</i>	♂	Sheopuri,	-	3	53	110
	90	" <i>ignicauda</i>	♂	Chandragiri	25	1	53	59
	1	" "	-	"	8	2	53	18
	2	<i>Prunella strophiata</i>	♂	Seti Valley, W.C.	24	11	53	78
	3	<i>Emberiza pusilla</i>	♂	"	21	11	53	65
	4	" "	♂	Godavari,	14	2	53	24
	5	" <i>leucocephala</i>	♂	Seti Valley, W.C.	22	11	53	168
	6	" <i>cia stracheyi</i>	♂	"	24	11	53	152
	7	" <i>aureola</i>	♂	"	17	1	54	197
	8	" "	♂	"	17	1	54	196
	9	<i>Passer domesticus parkini</i>	♀	"	8	2	53	26
	100	<i>Melophus melanopterus</i>	♂	"	1	3	52	90

1954

MS Prev

15	101	<i>Procarduelis nipalensis nipalensis</i>	♂	Mr. Nepal Valley	29	12	52	
	2	<i>Propynhula subhimachala</i>	? ♂	Seti Valley. W. C. Nepal	23	11	53	
	3	<i>Propasser rodopeplus</i>	♀	" W. E. Nepal Valley	29	12	53	
	4	<i>Spinus thibetana</i>	♂	S. "	3	1	53	
	5	"	"	"	3	1	53	
	6	<i>Uroloncha striata acuticauda</i>	"	Seti Valley. W.C.	24	11	53	
	7	<i>Dicaeum ignipestum</i>	♂	" "	24	3	53	
	8	<i>Sturnia malabarica</i>	♂	" "	24	3	53	
	109	<i>Cutia nipalensis</i>	♀	S. "	9	2	53	
16	1	<i>CORVUS MONedula SPERMologus</i>	♂ AD	5 MILES AWAY FROM ABBERTON, ESSEX.	20	4	54	
17	1	<i>Falco tinnunculus rupicoliformis</i>	♀	Godziba Is., Lake Victoria, T.T. [one of Nabuyongo Is: 1°28'S.-32°-36']	29	1	54	
	2	<i>Alseonax aquaticus infulatus</i>	♂	" "	29	1	54	
	3	<i>Aerocephalus arundinaceus zarudnyi</i>	♂	" "	29	1	54	
	4	<i>Hirundo angolensis arcticincta</i>	♂	" "	30	1	54	
	5	<i>Cisticola juncidis perennia</i>	♀	" "	29	1	54	
	6	<i>Nectarinia erythrocercus</i>	♂	" "	28	1	54	
	7	<i>Platycercus castanops</i>	♂	" "	29	1	54	
	8	" "	♂	" "	30	1	54	
	9	<i>Icteropspis palzeini</i>	♂	" "	28	1	54	
	10	" "	♀	" "	28	1	54	
	11	" "	♀	" "	30	1	54	
	12	<i>Euplectes afra ladoensis</i>	♀	" "	30	1	54	
18	1	<i>PASSER D. DOMESTICUS</i>	♂ AD	IN SPIRIT - ASHLEY, BOX, WILTS.	25	4	54	
	2	" "	♂ AD	" " "	25	4	54	
	3	" "	♀ AD	" " "	25	4	54	

MS Purd

54

38	1	<i>Placens reichardi</i>			Mfokola, Lake Rukwa, Tanganyika Territory	18	1	54	8288
	2	" "			" " "	18	1	54	8282
	3	" "			Rukwa, Chinembo, "	16	2	54	8444
39	1	<i>Pyrrhula pyrrhula</i>	[INSPIRIT]	IM	HINDHEAD, SURREY.	29	9	54	
40	1	<i>Melopsittacus undulatus</i> [Var]			Bred in captivity	13	10	54	
41	1	<i>Mirafra damarensis nata</i>	♂		MUTARIKARA, E. BECHUANALAND	18	10	53	873
	2	" "	♂		"	20	10	53	819N
	3	" "	♂		"	20	10	53	819J
	4	" "	♀		NATA,	12	10	53	840
	5	" "	♂		10M. W. OF NATA,	17	10	52	311J
	6	" "	♀		5M. N.W. "	9	10	53	TE 20
42	1	<i>Buteo rufinus rufinus</i>	♀		Nepal Valley.	12	1	53	7
	2	" "	♂	4000ft.	"	31	1	54	209
	3	<i>Aquila nipalensis nipalensis</i>	♂		Chorbal Gorge,	31	1	54	208
	4	<i>Anthus richardi richardi</i>	♂		"	19	9	53	81
	5	" "	"		"	26	1	52	88
	6	" "	♂		"	15	4	53	84
	7	" "	♂		"	14	3	54	232
	8	" "	♀		"	28	2	52	89
	9	" <i>hodgsoni yunnanensis</i>	♂		Seti Valley, W.C. Nepal	21	11	53	166
	10	" "	♂		Nepal Valley	10	4	54	263
	11	" "	♀		"	10	4	54	244
	12	" <i>pelops (roseatus)</i>	♂		River	17	1	54	193
	13	" <i>(roseatus) pelops</i>	♀		"	14	11	53	147
	14	" "	♀		"	3	6	53	49
	15	<i>Oreocorys sylvanus</i>	♂		Sheopuri, M.	1	1	53	2
	16	<i>Alauda gulgula takmerum</i>	♀		"	21	4	54	251
	17	<i>Alauda gulgula</i>	♂		"	11	-	-	
	18	" "	♂		"	8	1	53	5
	19	<i>Motacilla alba baicalensis</i>	♂	4500ft.	"	21	3	54	235
	20	" "	"		"	-	-	-	
	21	" <i>alboides alboides</i>		4400ft.	"	16	11	52	B1.

Ms. Aoud

1954

142.	22.	<i>Molacilla albooides</i>	♀ ♂	4600ft. Nepal Valley	2)	2	54	216
		"	"	4700ft.	25-	2	52	-
4	5	"	"	4500ft.	2)	2	54	215
6	7	"	"	"	14	3	54	231
8	9	"	"	"	19	4	52	246
30	1	"	"	"	14	3	64	230
40	2	"	"	"	24	12	50	152
5	6	"	"	"	7	3	54	229
45	56	"	"	"	19	4	54	249
60	71	"	"	"	27	12	53	153
76	87	"	"	"	19	4	54	247
90	101	"	"	"	27	12	53	156
40	51	"	"	"	27	12	63	154
56	67	"	"	"	15	11	52	133
71	82	"	"	"	28	4	53	176
87	98	"	"	"	27	12	53	150
101	112	"	"	"	17	1	54	194
116	127	"	"	"	3	5	53	A7
131	142	"	"	"	15	2	52	A4
146	157	"	"	"	27	12	53	156
161	172	"	"	"	14	2	63	C2
176	187	"	"	"	12	2	54	217
190	201	"	"	"	27	12	53	161
205	216	"	"	"	7	3	54	228
220	231	"	"	"	17	1	54	195
235	246	"	"	"	14	2	53	A5
250	261	"	"	"	15	11	52	A2
265	276	"	"	"	12	3	52	-
280	291	"	"	"	19	4	54	248
295	306	"	"	"	26	4	54	262
310	321	"	"	"	18	4	54	245
325	336	"	"	"	6	9	53	74
340	351	"	"	"	6	9	53	75
355	366	"	"	"	8	11	53	146
370	381	"	"	"	18	10	63	139
385	396	"	"	"	16	3	54	233
400	411	"	"	"	30	10	53	144
415	426	"	"	"	23	1	54	201
430	441	"	"	"	10	4	54	253
445	456	"	"	"	18	11	53	158
460	471	"	"	"	18	10	53	138
475	486	"	"	"	12	2	54	213
490	501	"	"	"	24	12	53	179
505	516	"	"	"	9	1	54	191
520	531	"	"	"	30	12	53	149
535	546	"	"	"	25	10	53	140
550	561	"	"	"	6	3	54	226

Bengali River.

Rhithrogena ornata inornata

Sethi Valley, W.C. "

Pokhra, 2500ft. "

Pokhra, 1000ft. N. "

Mr. D. Newell

64

42.	72	<i>Phylloscopus inornatus humei</i>	♂	Nepal Valley	6	3	54	276
3	"	" "	♂	"	11	10	53	135
4	"	" "	♂	"	4	11	53	143
5	"	" " <i>Trochiloides</i>	♂	"	7	10	53	134
6	"	" "	♂	"	23	9	53	82
7	"	" "	♂	"	17	4	53	40
8	"	" "	♂	"	14	5	63	54
9	"	" "	♂	"	19	4	64	250
80	"	" "	♂	Embassy gardens.	6	5	53	53
1	"	" " <i>nitidus</i>	♂	Embassy gardens.	19	4	53	45
2	"	" "	♂	4200 ft.	15	4	53	39
3	"	" "	♂	sea-level	151 May	?53		
4	"	" " <i>reguloides</i>	♂	Sheopuri, 8500 ft.	24	6	53	59
5	"	" "	♂	8400 ft.	9	4	54	252
6	"	" "	♀	6000 ft.	21	3	53	32
7	"	" "	♂	8400 ft.	10	4	54	251
8	"	" " <i>magnirostris</i>	♀	4000 ft.	13	8	63	72
9	"	" " <i>collybils</i>	♀	4200 ft.	4	3	53	26
90	"	" " <i>Abrornis schisticeps</i>	♂	Sheopuri, 8000 ft.	28	6	53	69
1	Phylloscopus pulcher	pulcher	♂	"	-	11	53	105
2	"	" "	♂	"	-	11	53	104
3	"	" "	-	"	-	11	53	106
4	"	" " <i>pronegulus chloronotus</i>	♀	"	6	3	54	227
5	"	" "	-	4500 ft.	15	2	53	25
6	"	" "	-	6000 ft.	1	11	53	142
7	"	" "	♀	5500 ft. S.	11	4	52	98
8	"	" " <i>Trochiloides viridanus</i>	♂	Embassy gardens	19	5	53	58
9	"	" " <i>Trochiloides</i>	♀	4500 ft.	3	10	53	132
100	"	" " <i>maculipennis</i>	♀	Sheopuri, 8000 ft. IV.	29	6	53	68
1	"	" "	♀	"	14	5	53	56
2	Cisticola juncidis	curticeps	♀	"	1	1	53	1
3	Prinia hodgsonii	? rufula	-	3000 ft. S.	23	1	54	200
4	"	" "	-	"	28	1	64	202
5	"	" "	♂	"	20	1	54	199
6	Hemitriccus cinnamomea	cinnamomea	♀ imm.	4500 ft.	30	6	53	70
7	Prunella strophiata	strophata	♀	Seti Valley, W.C.	24	11	53	177
8	Huseicapa olivaceus	? heliogenys	♂	Chitwan dist.	13	4	54	3511
9	"	amabilis	♀	"	15	3	53	29
110	Adelura caeruleocephala	caeruleocephala	♂	"	18	2	54	214
1	Liothrix lutea	lutea	♀	"	23	3	54	237
2	Suthora nipalensis	nipalensis	♀	Phulchowk, 8000 ft.	3	5	54	3603
3	Pheophyia pusilla	pusilla	♂	"	30	3	54	3464
4	Miltava sundara	sundara	♀	Embassy gardens.	19	1	54	198
5	Lanius cristatus	cristatus	♂ juv.	4500 ft.	21	2	54	218
6	Pteruthius melanotis	melanotis	♂	5000 ft.	30	1	54	206
7	Parus dichrous	dichrous	-	Seti Valley, W.C.	25	11	53	185
8	Emberiza pusilla	pusilla	♀	6000 ft.	30	1	54	205
9	Fethopyga saturata	saturata	♂	Goddavari, 52000 ft. S.	early	6	54	96
120	Fethopyga		♂ imm.	5000 ft.	31	2	54	207
1	"	ignicauda	♂	4500 ft.	28	2	64	223

1958

1954

122 *Sesia ochracea* ochracea ♂
 3 *Sympetrum criniger* criniger ♂
 4 *Oreodus caninus* tenuirostris ♀

142 *Sesia ochracea ochracea* ♂ 3 53 2
 3 *Sympetrum criniger* criniger ♂ 2 54
 4 *Oreodus caninus* tenuirostris ♀ 1 54

143 *Melopsittacus undulatus* 1 Bred in captivity
 2 " " "

43 *Melopsittacus undulatus* 1 Bred in captivity
 2 " " "

44 *Accipiter nisus* nisus ♀ imm Thorpe, No. Chertsey, Surrey
 45 *Type or Sylvia philippae* ♂ in loc. near Galkayo, S.W. Somaliland

46 *Coturnix c. coturnix* 1 SIDI CHAMI, N.W. OMAN. ANDORIA
 2 " " " 2 " "
 3 " " " 3 " "
 4 *Heliotani*, " 4 " "

47 *Hesperiphona vespertina* ♂ BOZEMAN, MONTANA U.S.A.
 48 *HELIOMASTER fuligineus* 1 HEAD ONLY (in spirit)

49 *Melopsittacus undulatus* ♂ ap Tbred in captivity
 50 *Casuarius fuscus fuscus* Bred in St. James Park 1951 24 9 54
 51 *Xanthocephalus cana* X.C. CANA