

Nepal December 1977

Inskip and Inskip (1977)

(55)

Little Grebe (*Tachybaptus ruficollis*): 2 on 23rd Begnas Tal

Great Crested Grebe (*Podiceps cristatus*): 5 on 5K, 1 on 6K Phewa Tal; 30 on 23rd Begnas Tal

Great Cormorant (*Phalacrocorax carbo*): 2 on 6K 88 km W of Kathmandu; 1 on 8K 50-120 km W of Kathmandu

Indian Pond Heron (*Ardeola grayii*): 1 on 4K Sonauli + 1 Bhairawa; 15 on 5K Phewa Tal; 1 on 7K Bagmati R., Kathmandu;

1 on 8K Naubise; 6 on 9K Upper Hyengjin; 1 on 22nd Hyengjin; 50 on 23rd Begnas Tal; 2 on 24K Naubise  
+ 1 120-165 km W of Kathmandu; 2 on 26K Godavari

Cattle Egret (*Bubulcus ibis*): 15 on 4K Sonauli-Butwal; 12 on 7K Bagmati R., Kathmandu; 34 on 8K 0-50 km W of Kathmandu;  
20 on 25K Balaju; 10 on 26K Godavari

Little Egret (*Egretta garzetta*): 1 on 4K Bhairawa; 1 on 5K Phewa Tal; 1 on 6K 40 km W of Kathmandu; 6 on 7K 0-50 km  
W. of Kathmandu; 50 on 23rd Begnas Tal; 4 on 24K 0-50 km W. of Kathmandu; 1 on 25K Vishnumati R.

Intermediate Egret (*Egretta intermedia*): 1 on 4K Bhairawa; 1 on 5K Phewa Tal

Great White Egret (*Egretta alba*): 1 on 23rd Begnas Tal

Black Stork (*Ciconia nigra*): 6 on 9K Hyengjin to Siukhet

Woolly-necked Stork (*Ciconia episcopus*): 1 on 4K Bhairawa; 2 on 6K 50 km W. of Kathmandu; 9 on 23rd Begnas Tal.

Gadwall (*Anas strepera*): 6 on 23rd Begnas Tal

Common Teal (*Anas crecca*): 100 on 23rd Begnas Tal

Pochard (*Aythya ferina*): 40 on 23rd Begnas Tal

Ferruginous Duck (*Aythya nyroca*): ♂ on 23rd Begnas Tal

Tufted Duck (*Aythya fuligula*): 11 on 5K Phewa Tal; 70 on 23rd Begnas Tal

Common Goldeneye (*Bucephala clangula*): 1 ad. ♂ + 2 imm. on 23rd Begnas Tal

Gosander (*Mergus merganser*): 1 on 24K 50-120 km W. of Kathmandu

Black-winged Kite (*Elanus caeruleus*): 1 on 4K Bhairawa

Black Kite (*Milvus migrans*): 1 Bhairawa, 10 Butwal, 10 Butwal-Pokhara on 4K; 25 on 5K Phewa Tal; 10 on 6K Pokhara-Kathmandu;

10 on 7K Kathmandu; 3 Kathmandu + 1 50-120 km W. of Kathmandu + 1 Pokhara on 8K; 1 Siukhet + 10 Khare + 3 Chandrakot on 9K;

1 on 10K Birithanti; 4 Khare + 8 Naudanda on 21st; 2 Naudanda + 2 Hyengjin + 5 Pokhara on 22nd; 10 on 23rd Begnas Tal;

1 on 24K Naubise; 15 on 25K Balaju; 1 on 26K Kathmandu

White-tailed Eagle (*Haliaeetus albicilla*): 1 imm. on 23rd Begnas Tal

Lammageier (*Gypaetus barbatus*): 1 on 5K Phewa Tal; 2 on 9K Naudanda; 2 on 10K Birithanti; 2 on 11K + 12K Ghorepani;

1 Jhapa + 2 Ghosa on 13K; 1 on 14K Chasa; 1 Jomesom + 2 Sherkot on 15K; 1 on 16K Sherkot; 2 on 17K Marpha;

2 on 18K Jhapa; 2 on 19K Chitre; 2 Chandrakot + 1 Khare + 2 Naudanda on 21st; 2 on 22nd above Hyengjin

Egyptian Vulture (*Neophron percnopterus*): 5 Butwal + 1 Butwal-Pokhara on 4K; 15 on 5K Phewa Tal; 3 on 6K Pokhara;

10 on 8K Pokhara; 4 Hyengjin + 3 Naudanda on 9K; 1 on 10K Birithanti; 3 on 21st Naudanda; 6 Hyengjin + 7 Pokhara on 22nd;

3 on 23rd Pokhara

Indian White-backed Vulture (*Gyps bengalensis*): 5 Butwal + 10 Butwal-Pokhara on 4K; 10 on 5K Phewa Tal; 12 Hyengjin + 2 Naudanda on 9K;

1 on 10K Birithanti + 1 on 21st; 3 on 22nd Hyengjin; 1 on 23rd Begnas Tal

Long-billed Vulture (*Gyps indicus*): 3 on 5K Phewa Tal

Himalayan Griffon Vulture (*Gyps himalayensis*): 3 Butwal + 10 Butwal-Pokhara on 4K; 20 on 5K Phewa Tal; 10 on 9K Naudanda;

3 on 10K Birithanti; 4 on 11K Ghorepani; 12 Ghorepani + 4 Sikha on 12K; 15 Tatopani + 10 Kopchepani + 5 Ghosa on 13K;

1 Chasa + 10 Tukche + 2 Marpha on 14K; 3 Marpha + 3 Sherkot on 15K; 2 on 16K Sherkot; 10 Jomesom + 5 Tukche +

2 Kalopani on 17K; 10 Chasa-Tatopani + 2 Ghare on 18K; 3 on 19K Ghorepani; 2 Ghorepani + 8 Birithanti on 20K;

5 Chandrakot + 3 Khare + 10 Naudanda on 21st; 4 on 22nd above Hyengjin; 5 on 23rd Begnas Tal

Eurasian Black Vulture (*Aegypius monachus*): 1 Butwal + 1 Butwal-Pokhara on 4K; 5 on 5K Phewa Tal; 1 Hyengjin + 2 Naudanda on 9K;

2 on 17K Jomesom-Marpha; 1 on 20K Birithanti; 1 Khare + 4 Naudanda on 21st

Red-headed Vulture (*Sarcogyps calvus*): 3 on 5K Phewa Tal; 1 on 6K 125 km W of Kathmandu; 1 Hyengjin + 3 Naudanda +

2 below Chandrakot on 9K; 1 on 11K + 12K Ghorepani; 2 on 13K Tatopani; 2 on 19K Chitre; 2 on 20K Birithanti;

2 Khare + 2 Naudanda on 21st; 2 on 22nd Hyengjin + 1 Pokhara

Crested Serpent Eagle (*Spilornis cheela*): 1 on 8K 120-165 km W of Kathmandu; 1 on 23rd Begnas Tal

Marsh Harrier (*Circus aeruginosus*): 1 ♂ on 4K Bhairawa; 2 ♀/min. on 22nd Pokhara; 2 on 23rd Begnas Tal

Hen Harrier (*Circus cyaneus*): 1 ♂ + 1 ♀/min. → W on 21st Naudanda; 1 ♂ + 2 ♀/min. on 22nd Pokhara; 1 ♂ + 2 ♀/min. on 23rd Begnas Tal

Pallid Harrier (*Circus macrourus*): 1 ♀ 140 km W of Kathmandu + 1 ♂ Thankot on 6K

- Besra (*Accipiter virgatus*) : 1 imm. on 25<sup>th</sup> Balaju
- Eurasian Sparrowhawk (*Accipiter nisus*) : 1 on 4<sup>th</sup> Butwal; 2 on 5<sup>th</sup> Phewa Tal; 1 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 sp. on 9<sup>th</sup> Khare; 1 sp. on 10<sup>th</sup> Chitre; 1 sp. on 20<sup>th</sup> Birithanti; 2 Chandrakot + 3 Naudanda on 21<sup>st</sup>; 1 on 22<sup>nd</sup> Pokhara; 2 sp. on 23<sup>rd</sup> Begnas Tal; 1 on 25<sup>th</sup> Balaju
- Common Buzzard (*Buteo buteo*) : 1 on 8<sup>th</sup> 0-50 km W. of Kathmandu; 1 on 9<sup>th</sup> Khare; 1 on 11<sup>th</sup>+12<sup>th</sup> Ghorepani; 1 on 14<sup>th</sup> Phasa; 1 on 18<sup>th</sup> Dama; 1 on 26<sup>th</sup> Godavari road, Kathmandu Valley
- Upland Buzzard (*Buteo hemilasius*) : 1 on 7<sup>th</sup> Bagmati R., Kathmandu
- Spotted Eagle (*Aquila clanga*) : 1 → W on 20<sup>th</sup> Birithanti
- Steppe Eagle (*Aquila nipalensis*) : 4 → W on 4<sup>th</sup> Butwal + 1 Butwal-Pokhara; 3 on 5<sup>th</sup> Phewa Tal; 17 → W on 9<sup>th</sup> Naudanda; 2 on 13<sup>th</sup> Dama; 4 → W on 21<sup>st</sup> Naudanda; 1 on 22<sup>nd</sup> Hyengjin; 2 on 24<sup>th</sup> Thakot; 1 on 25<sup>th</sup> Balaju
- Golden Eagle (*Aquila chrysaetos*) : 1 on 13<sup>th</sup> Ghara; 2 on 16<sup>th</sup> Shong Kholu valley; 2 on 17<sup>th</sup> Marpha
- Black Eagle (*Ictinaetus malayensis*) : 1 on 11<sup>th</sup> Ghorepani; 1 on 12<sup>th</sup> Chitre
- Mountain Hawk-Eagle (*Spizaetus nipalensis*) : 1 on 20<sup>th</sup> below Ghorepani; 1 on 21<sup>st</sup> Naudanda; 2 on 23<sup>rd</sup> Begnas Tal
- Osprey (*Pandion haliaetus*) : 1 on 5<sup>th</sup>+6<sup>th</sup> Phewa Tal; 2 on 23<sup>rd</sup> Begnas Tal
- Red-thighed Falconet (*Micrathetrix caerulescens*) : 1 on 6<sup>th</sup> 40 km W. of Kathmandu
- Lesser Kestrel (*Falco naumanni*) : 1 ♂ on 25<sup>th</sup> Balaju; [1 possible Tukche on 17<sup>th</sup>]
- Kestrel (*Falco tinnunculus*) : 1 Butwal + 2 Butwal-Pokhara on 4<sup>th</sup>; 1 on 5<sup>th</sup> Phewa Tal; 1 on 8<sup>th</sup> Pokhara; 1 Khare + 1 Chandrakot - 9<sup>th</sup>; 1 on 10<sup>th</sup> Ulleri; 1 Tatopani + 1 Kopchepani + 2 Ghara on 13<sup>th</sup>; 1 on 18<sup>th</sup> Ghara; 1 on 19<sup>th</sup> Sikha; 1 on 20<sup>th</sup> Birithanti; 1 on 21<sup>st</sup> Chandrakot; 4 on 22<sup>nd</sup> Hyengjin-Suikhet; 1 on 24<sup>th</sup> Thakot; 3 on 25<sup>th</sup> Balaju
- Hobby/Oriental Hobby (*Falco subbuteo/severus*) : 3 on 5<sup>th</sup> Phewa Tal
- Peregrine (*Falco peregrinus*) : 1 on 11<sup>th</sup> Ghorepani; 1 on 13<sup>th</sup> Dama; 1 on 14<sup>th</sup> Lete; 1 on 17<sup>th</sup> Jomosom-Marpha
- Chukar (*Alectoris chukar*) : 10 on 14<sup>th</sup> Tukche-Marpha; 8 on 15<sup>th</sup> below Thakot; 22 on 16<sup>th</sup> Mukti-nath
- Black Francolin (*Francolinus francolinus*) : 1 on 22<sup>nd</sup> Pokhara
- Grey Francolin (*Francolinus pondicerianus*) : 1 on 24<sup>th</sup> near Mugling (120 km W. of Kathmandu)
- Koklass (*Pucrasia macrolopha*) : 1 heard on 12<sup>th</sup> above Ghorepani 11000'
- Kalij Pheasant (*Lophura leucophaea*) : 5 on 23<sup>rd</sup> Begnas Tal
- Common Coot (*Fulica atra*) : 10 on 23<sup>rd</sup> Begnas Tal
- Bronze-winged Jacana (*Metopidius indicus*) : 1 on 23<sup>rd</sup> Begnas Tal
- Stone Curlew (*Burhinus oedicnemus*) : 2 heard on 22<sup>nd</sup> Pokhara
- Little Ringed Plover (*Charadrius dubius*) : 2 on 5<sup>th</sup> Phewa Tal
- River Plover (*Hoplopterus duvaucelii*) : 6 on 5<sup>th</sup> Phewa Tal; 2 on 6<sup>th</sup> 60 km W. of Kathmandu; 3 on 22<sup>nd</sup> Phewa Tal
- Grey-headed Plover (*Hoplopterus cineraceus*) : 13 on 7<sup>th</sup> Bagmati R., Kathmandu
- Red-wattled Plover (*Hoplopterus indicus*) : 2 on 5<sup>th</sup> Phewa Tal; 2 on 6<sup>th</sup> Pokhara-Kathmandu; 20 on 23<sup>rd</sup> Begnas Tal
- Teminick's Stint (*Calidris temminckii*) : 2 on 5<sup>th</sup> Phewa Tal
- Common Snipe (*Gallinago gallinago*) : 15 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 23<sup>rd</sup> Begnas Tal
- Pintail Snipe (*Gallinago stenura*) : 5 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 23<sup>rd</sup> Begnas Tal
- Green Sandpiper (*Tringa ochropus*) : 3 on 4<sup>th</sup> Bhairavn; 4 on 5<sup>th</sup> Phewa Tal; 1 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 8<sup>th</sup> Pokhara; 3 on 10<sup>th</sup> Hyengjin-Suikhet; 2 on 22<sup>nd</sup> Suikhet-Hyengjin; 10 on 23<sup>rd</sup> Begnas Tal
- Common Sandpiper (*Actitis hypoleucus*) : 6 on 5<sup>th</sup> Phewa Tal; 1 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 8<sup>th</sup> Pokhara; 1 on 13<sup>th</sup> Tatopani; 1 on 15<sup>th</sup> Jomosom
- Rock Pigeon (*Columba livia*) : Pokhara 5<sup>th</sup>; Pokhara-Kathmandu 6<sup>th</sup>; Kathmandu 7<sup>th</sup>+8<sup>th</sup>; 4 on 15<sup>th</sup> Marpha; 1 on 16<sup>th</sup> Jomosom; 20 on 17<sup>th</sup> Jomosom-Marpha; 15 on 18<sup>th</sup> Tatopani; 1 on 21<sup>st</sup> Naudanda; 10 on 22<sup>nd</sup> Pokhara; 5 on 23<sup>rd</sup> Pokhara; 250 on 25<sup>th</sup> Kathmandu; 5 on 26<sup>th</sup> Kathmandu
- Hill Pigeon (*Columba rupestris*) : 20 on 16<sup>th</sup> Mukti-nath
- Snow Pigeon (*Columba leuconota*) : 20 on 13<sup>th</sup> Kopchepani; 40 on 14<sup>th</sup> Phasa
- Collared Dove (*Streptopelia decaocto*) : 1 on 22<sup>nd</sup> Pokhara
- Rufous Turtle Dove (*Streptopelia orientalis*) : 1 on 9<sup>th</sup> Chandrakot; 30 on 23<sup>rd</sup> Begnas Tal
- Spotted Dove (*Streptopelia chinensis*) : 2 on 4<sup>th</sup> Butwal; 8 on 5<sup>th</sup> Phewa Tal; 5 on 6<sup>th</sup> Pokhara; 1 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 8<sup>th</sup> Kathmandu; 2 on 9<sup>th</sup> Hyengjin; 8 on 24<sup>th</sup> Kathmandu; 1 on 25<sup>th</sup> Balaju; 1 on 26<sup>th</sup> Godavari
- Green Pigeon (*Treron sp.*) : 2 on 26<sup>th</sup> Godavari
- Ring-necked Parakeet (*Psittacula krameri*) : 10 Sonauli + 3 Bhairavn on 4<sup>th</sup>
- Slaty-headed Parakeet (*Psittacula himalayana*) : 30 on 4<sup>th</sup> Butwal-Pokhara; 20 on 5<sup>th</sup> Phewa Tal; 4 on 6<sup>th</sup> Phewa Tal; 100 on 10<sup>th</sup> Birithanti; 10 on 13<sup>th</sup> Dama; 1 on 14<sup>th</sup> Koku-Lete

- Common Hawk Cuckoo (*Hierococcyx varius*) : 1 on 23rd Begnas Tal  
 Green-billed Malkoha (*Phaenicophaeus tristis*) : 1 on 9th below Chandrakot  
 Mountain Scops Owl (*Otus spilocephalus*) : 1 heard on 12th Ghorepani ; 1 heard on 19th below Ghare  
 Eagle Owl (*Bubo bubo*) : 1 on 8th Tibetan Camp, Hyengjin  
 Jungle Owlet (*Glaucidium radiatum*) : 1 on 4th Butwari - Pokhara  
 Asian Barred Owlet (*Glaucidium cuculoides*) : 1 on 26th Godavari  
 Spotted Little Owl (*Athene brama*) : 2 on 5th Phewa Tal ; 1 on 6th + 7th Kathmandu ; 2 on 23rd Pokhara  
 Himalayan Swiftlet (*Collocalia brevirostris*) : 100 on 6th Phewa Tal ; 30 on 8th Pokhara ; 5 Hyengjin + 30 Birithanti on 9th ;  
     15 on 12th Ghare ; 50 on 18th Ghare ; 12 on 20th Birithanti ; 10 on 21st Naudanda ; 2 on 22nd Hyengjin + 30 Pokhara ;  
     100 on 23rd Begnas Tal  
 Alpine Swift (*Apus melba*) : 6 on 5th Phewa Tal  
 Little Swift (*Apus affinis*) : 30 on 4th Bhairawa ; 10 on 5th Phewa Tal ; 25 on 6th Kathmandu ; 1 on 8th Kathmandu  
 White-breasted Kingfisher (*Halcyon smyrnensis*) : 2 Sonauli + 2 Bhairawa on 4th ; 4 on 5th Phewa Tal ; 5 on 6th Pokhara - Kathmandu ;  
     2 on 7th Bagmati R., Kathmandu ; 1 on 8th Pokhara ; 1 Hyengjin + 1 Birithanti on 9th ; 12 on 23rd Begnas Tal ;  
     1 Kathmandu + 2 Mugling + 1 120-165 km W. of Kathmandu on 24th ; 4 on 25th Balgaj ; 3 on 26th Godavari  
 Common Kingfisher (*Alcedo atthis*) : 1 on 5th Phewa Tal ; 1 on 9th Birithanti ; 3 on 10th Birithanti ; 1 on 20th Birithanti ;  
     2 on 23rd Begnas Tal ;  
 (1) Pied Kingfisher (*Ceryle rudis*) : 1 on 4th Bhairawa ; 1 on 5th Phewa Tal ; 3 on 23rd Begnas Tal ; 1 on 24th 50-120 km W. of Kathmandu  
 Crested Kingfisher (*Ceryle lugubris*) : 1 on 20th Birithanti ; 1 on 23rd Begnas Tal  
 Green Bee-eater (*Merops orientalis*) : 1 Sonauli + 15 Bhairawa on 4th  
 Indian Roller (*Coracias benghalensis*) : 1 Sonauli + 2 Butwari on 4th ; 5 on 5th Pokhara ; 5 on 6th Pokhara - Kathmandu ;  
     4 on 8th 120-165 km W. of Kathmandu ; 1 on 9th Hyengjin ; 4 on 22nd Pokhara ; 3 on 23rd Begnas Tal  
 Hoopoe (*Upupa epops*) : 1 on 4th Bhairawa ; 3 on 22nd Pokhara ; 7 on 25th Juvayambhu  
 Great Barbet (*Megalaima virens*) : 1 on 9th below Chandrakot ; 1 heard on 22nd Naudanda ; 10 on 26th Godavari + Phul Chowk  
 Golden-throated Barbet (*Megalaima franklinii*) : 1 on 21st Naudanda  
 Blue-throated Barbet (*Megalaima asiatica*) : 1 on 5th + 4 on 6th Phewa Tal ; 1 on 23rd Begnas Tal ; 1 on 25th Balgaj ; 1 heard on 26th Phul Chowk  
 Copper-smith Barbet (*Megalaima haemacephala*) : 10 on 5th + 20 on 6th Phewa Tal ; 6 on 23rd Begnas Tal  
 Wryneck (*Jynx torquilla*) : 1 on 5th Phewa Tal + 6th ; 1 on 22nd Pokhara ; 1 on 25th Juvayambhu  
 Spotted Piculet (*Picumnus innominatus*) : 2 on 26th Godavari  
 Lesser Yellow-naped Woodpecker (*Picus chlorolophus*) : 2 on 9th below Chandrakot ; 1 on 22nd below Naudanda ; 1 on 26th Godavari  
 Large Yellow-naped Woodpecker (*Picus flavinucha*) : 1 on 9th below Chandrakot  
 Grey-headed Woodpecker (*Picus canus*) : 1 on 26th Godavari  
 Scaly-bellied Green Woodpecker (*Picus squamatus*) : 1 on 9th below Naudanda 4500'  
 (1) Lesser Golden-backed Woodpecker (*Dendropicos benghalensis*) : 4 on 23rd Begnas Tal  
 Darjeeling Pied Woodpecker (*Dendrocopos darjellensis*) : 2 on 11th Thanti ; 2 on 12th Ghorepani  
 Crimson-breasted Pied Woodpecker (*Dendrocopos Rathbuni*) : 1 on 19th above Ghorepani  
 Rufous-bellied Pied Woodpecker (*Dendrocopos hyperythrus*) : 1 on 12th Ghorepani - Chitre ; 1 on 19th above Ghorepani ; 1 on 26th Phul Chowk  
 Fulvous-breasted Pied Woodpecker (*Dendrocopos macei*) : 2 on 6th Phewa Tal ; 1 on 20th Hille ; 2 on 23rd Begnas Tal  
 Grey-capped Pygmy Woodpecker (*Dendrocopos canicapillus*) : 1 on 23rd Begnas Tal  
 Bay Woodpecker (*Blythipicus pyrrhotis*) : 2 on 9th below Chandrakot  
 Ashy-crowned Finchlark (*Eremopterix griseus*) : 12 on 4th Bhairawa  
 Crested Lark (*Galerida cristata*) : 1 on 4th Sonauli  
 Oriental Skylark (*Alauda gulgula*) : [34 sp. on 7th Bagmati R., Kathmandu] ; 25 on 23rd Begnas Tal  
 Brown-throated Sand Martin (*Riparia paludicola*) : 1 on 4th Sonauli ; 50 on 5th Phewa Tal ; 100 on 6th Pokhara - Kathmandu ;  
     5 on 7th Bagmati R., Kathmandu ; 50 on 8th 50-120 km W. of Kathmandu + 20 Pokhara ; 10 on 23rd Begnas Tal ;  
     5 on 24th Pokhara + 25 50-120 km W. of Kathmandu + 2 120-165 km W. ; 10 on 25th Balgaj  
 Crag Martin (*Ptyonoprogne rupestris*) : 20 on 13th Kopchepani ; 4 on 21st Naudanda  
 Swallow (*Hirundo rustica*) : 10 Sonauli + 50 Bhairawa + 10 Butwari on 4th ; 50 on 5th + 6th Phewa Tal ; 1 on 7th Bagmati R., Kathmandu ;  
     1 on 8th Kathmandu + 30 Pokhara ; 20 Hyengjin + 15 Naudanda + 2 Chandrakot on 9th ; 2 on 13th Kopchepani ; 2 on 21st Khare ;  
     5 Naudanda + 5 Hyengjin + 20 Pokhara on 22nd ; 5 on 23rd Begnas Tal ; Kathmandu on 24th ; 20 on 25th Balgaj  
 Wire-tailed Swallow (*Hirundo smithii*) : 4 on 4th Bhairawa  
 Red-rumped Swallow (*Hirundo daurica*) : 15 Bhairawa + 10 Butwari + 20 Butwari - Pokhara on 4th ; 150 on 5th + 100 on 6th Phewa Tal ;  
     25 on 7th Bagmati R., Kathmandu ; 2 on 8th Kathmandu + 5 50-120 km W. of Kathmandu + 30 Pokhara ; 30 on 9th Hyengjin ;  
     10 on 21st Naudanda + 30 Pokhara ; 50 on 23rd Begnas Tal ; 5 on 25th Balgaj

- Common Tailorbird (*Orthotomus sutorius*):** 2 on 7<sup>th</sup> Bagmati R., Kathmandu; 4 on 9<sup>th</sup> Hyengja; 1 on 20<sup>th</sup> below Ulleri + 2 Birrthanti; 3 on 21<sup>st</sup> Birrthanti; 2 on 22<sup>nd</sup> Hyengja; 4 on 25<sup>th</sup> Balaju; 5 on 26<sup>th</sup> Godavari
- Aberrant Bush Warbler (*Cettia flavirostris*):** 4 on 5<sup>th</sup> Pokhara; 2 on 9<sup>th</sup> Lumbi; 1 on 10<sup>th</sup> Dara + 1 Ghara; 1 on 18<sup>th</sup> Dara + 1 below Ghara; 3 on 19<sup>th</sup> Sikha; 3 on 21<sup>st</sup> Birrthanti; 2 on 22<sup>nd</sup> Naudanda; 1 on 25<sup>th</sup> Begnas Tal
- Grey-sided Bush Warbler (*Cettia brunnifrons*):** 1 on 5<sup>th</sup> Phewa Tal
- Plain Cisticola (*Cisticola juncidis*):** 2 on 22<sup>nd</sup> Pokhara; 2 on 23<sup>rd</sup> Begnas Tal
- Plain Prinia (*Prinia inornata*):** 1 on 4<sup>th</sup> Bharatwa
- Striated Prinia (*Prinia criniger*):** 1 on 4<sup>th</sup> Bharat-w-Pokhara; 1 on 9<sup>th</sup> below Chandrakot; 5 on 10<sup>th</sup> Birrthanti to Kalapani + 1 Kopchepani; 1 on 18<sup>th</sup> Ghara to Tatopani; 2 on 19<sup>th</sup> Sikha; 1 on 20<sup>th</sup> Tirkedhunga
- Blyth's Reed Warbler (*Acrocephalus dumetorum*):** 1 on 29<sup>th</sup> Phewa Tal; 1 on 20<sup>th</sup> Shyamkhu, Kathmandu
- Golden-spectacled Flycatcher-Warbler (*Ricercus burkii*):** 5 on 5<sup>th</sup> Phewa Tal; 2 on 9<sup>th</sup> Hyengja + 1 Naudanda + 2 Khare + 5 Lumbi + 2 Birrthanti; 10 on 10<sup>th</sup> Birrthanti to Tirkedhunga + 2 Ulleri; 8 on 13<sup>th</sup> Tatopani to Kopchepani + 10 Kopchepani to Ghara; 4 on 18<sup>th</sup> Ghara to Tatopani + 1 below Ghara; 5 on 19<sup>th</sup> Sikha; 2 on 20<sup>th</sup> Ulleri; 5 on 21<sup>st</sup> Birrthanti + 2 Khare + 5 Naudanda; 2 on 25<sup>th</sup> Balaju; 2 on 26<sup>th</sup> Phul Chawki
- Gray-headed Flycatcher-Warbler (*Pelarcus xanthostictus*):** 2 on 5<sup>th</sup> Phewa Tal; 2 on 9<sup>th</sup> Hyengja + 2 Naudanda + 3 Lumbi + 1 Chandrakot; 5 on 10<sup>th</sup> Tirkedhunga; 2 on 11<sup>th</sup> Ghorepani; 1 on 12<sup>th</sup> Sikha; 5 on 13<sup>th</sup> Tatopani to Kopchepani + 5 Kopchepani to Ghara + 2 Ghara; 10 on 14<sup>th</sup> Ghara to Lete; 2 on 17<sup>th</sup> Lete; 6 on 18<sup>th</sup> Ghara to Tatopani; 15 on 19<sup>th</sup> Ghara to Chitre; 1 on 20<sup>th</sup> Ulleri; 8 on 21<sup>st</sup> Birrthanti + 5 Khare + 10 Naudanda; 5 on 22<sup>nd</sup> Naudanda; 5 on 23<sup>rd</sup> Begnas Tal; 5 on 25<sup>th</sup> Balaju; 15 on 26<sup>th</sup> Phul Chawki
- Chastnut-crowned Flycatcher-Warbler (*Pelarcus castaneiceps*):** 3 on 10<sup>th</sup> Tirkedhunga; 2 on 20<sup>th</sup> below Ghorepani; 1 on 21<sup>st</sup> Naudanda; 2 on 23<sup>rd</sup> Begnas Tal
- Black-faced Flycatcher-Warbler (*Abruscops schisticeps*):** 4 on 20<sup>th</sup> below Thante; 4 on 26<sup>th</sup> Phul Chawki
- Blyth's Crowned Leaf Warbler (*Phylloscopus reguloides*):** 3 on 10<sup>th</sup> Tirkedhunga; 2 on 12<sup>th</sup> Ghorepani; 1 on 20<sup>th</sup> Tirkedhunga; 1 on 21<sup>st</sup> Birrthanti; 2 on 25<sup>th</sup> Balaju
- Greenish Warbler (*Phylloscopus trochiloides*):** 1 on 20<sup>th</sup> Tirkedhunga; 1 on 22<sup>nd</sup> Hyengja; 1 on 23<sup>rd</sup> Begnas Tal
- Orange-billed Leaf Warbler (*Phylloscopus pulcher*):** 1 on 9<sup>th</sup> Lumbi; 1 on 10<sup>th</sup> above Ulleri; 3 on 11<sup>th</sup> Ghorepani; 5 on 12<sup>th</sup> Ghorepani + 2 Chitre; 2 on 13<sup>th</sup> Tatopani to Kopchepani; 1 on 19<sup>th</sup> Sikha + 3 Ghorepani; 1 on 21<sup>st</sup> Birrthanti; 5 on 26<sup>th</sup> Phul Chawki
- Gray-faced Leaf Warbler (*Phylloscopus maculipennis*):** 1 on 9<sup>th</sup> Naudanda; 2 on 10<sup>th</sup> Tirkedhunga + 1 Thante; 1 on 11<sup>th</sup> Ghorepani; 2 on 12<sup>th</sup> Ghorepani; 1 on 19<sup>th</sup> Ghara; 2 on 19<sup>th</sup> Sikha + 2 Ghorepani; 15 on 20<sup>th</sup> Ghorepani; 1 on 21<sup>st</sup> Birrthanti
- Pallas's Leaf Warbler (*Phylloscopus proregulus*):** 1 on 9<sup>th</sup> Hyengja + 3 Naudanda + 1 Lumbi; 10 on 10<sup>th</sup> Tirkedhunga; 15 on 12<sup>th</sup> Ghorepani + 5 Sikha; 1 on 13<sup>th</sup> Dara; 1 on 18<sup>th</sup> Ghara to Tatopani; 1 on 19<sup>th</sup> Sikha + 2 Ghorepani; 1 on 20<sup>th</sup> Tirkedhunga; 5 on 21<sup>st</sup> Birrthanti + 5 Khare + 20 Naudanda; 3 on 22<sup>nd</sup> Naudanda; 10 on 23<sup>rd</sup> Begnas Tal; 2 on 25<sup>th</sup> Balaju; 15 on 26<sup>th</sup> Phul Chawki
- Yellow-browed Warbler (*Phylloscopus inornatus*):** 15 on 5<sup>th</sup> Phewa Tal; 3 on 6<sup>th</sup> Phewa Tal; 2 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 8<sup>th</sup> 50-100 km W. of Kathmandu; 5 on 9<sup>th</sup> Hyengja; 4 on 10<sup>th</sup> Birrthanti; 2 on 12<sup>th</sup> Ghara; 3 on 13<sup>th</sup> Tatopani; 1 on 14<sup>th</sup> Ghara; 1 on 18<sup>th</sup> Tatopani; 1 on 19<sup>th</sup> Ghara; 1 on 20<sup>th</sup> Birrthanti; 2 on 21<sup>st</sup> Birrthanti + 1 Chandrakot + 1 Naudanda; 2 on 22<sup>nd</sup> Naudanda + 5 Hyengja; 10 on 23<sup>rd</sup> Begnas Tal; 6 on 25<sup>th</sup> Balaju; 10 on 26<sup>th</sup> Godavari
- Dusky Warbler (*Phylloscopus fuscatus*):** 2 on 5<sup>th</sup> Phewa Tal; 6 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 23<sup>rd</sup> Begnas Tal
- Criffchaff (*Phylloscopus collybita*):** 7 on 5<sup>th</sup> Phewa Tal; 1 on 7<sup>th</sup> Bagmati R., Kathmandu; 1 on 25<sup>th</sup> Balaju
- Goldcrest (*Regulus regulus*):** 2 on 14<sup>th</sup> Lete + 4 Kalapani to Tukche
- Stoliczka's Tit-Warbler (*Lophophanes sophiae*):** 15 on 14<sup>th</sup> Tukche to Marpha; 10 on 15<sup>th</sup> Marpha to N. of Jomsom + 10 Jharkot; 12 on 16<sup>th</sup> Jharkot to Mukti Nath; 2 on 17<sup>th</sup> Jomsom + 2 S. of Marpha
- Small Niltava (*Niltava Macgregoriæ*):** 1 on 10<sup>th</sup> Tirkedhunga; 1 on 21<sup>st</sup> Birrthanti; 1 on 25<sup>th</sup> Balaju; 2 on 26<sup>th</sup> Godavari
- Rufous-bellied Niltava (*Niltava sundara*):** 1 on 5<sup>th</sup> Phewa Tal; 1 on 9<sup>th</sup> Hyengja + 1 Naudanda; 1 on 10<sup>th</sup> Tirkedhunga; 1 on 19<sup>th</sup> Sikha; 1 on 20<sup>th</sup> Tirkedhunga; 1 on 21<sup>st</sup> Birrthanti; 4 on 26<sup>th</sup> Godavari
- Stylo-blue Flycatcher (*Ficedula tricolor*):** 1 on 13<sup>th</sup> Tatopani to Kopchepani; 1 on 23<sup>rd</sup> Begnas Tal
- Ultramarine Flycatcher (*Ficedula superciliaris*):** 1 on 18<sup>th</sup> Dara
- Snowy-browed Flycatcher (*Ficedula hypoleuca*):** 1♂ on 10<sup>th</sup> Birrthanti; 1♀ on 26<sup>th</sup> Godavari
- Orange-gorged Flycatcher (*Ficedula strigata*):** 1 on 9<sup>th</sup> Hyengja + 1 Naudanda + 1 Lumbi + 1 Chandrakot; 5 on 10<sup>th</sup> Birrthanti to Tirkedhunga; 1 on 18<sup>th</sup> Ghara to Tatopani; 2 on 19<sup>th</sup> Sikha; 2 on 20<sup>th</sup> Birrthanti; 2 on 21<sup>st</sup> Birrthanti + 1 Naudanda; 1 on 22<sup>nd</sup> Naudanda; 1 on 23<sup>rd</sup> Begnas Tal; 5 on 26<sup>th</sup> Phul Chawki
- Red-breasted Flycatcher (*Ficedula parva*):** 5 on 5<sup>th</sup> Phewa Tal; 1 on 12<sup>th</sup> Ghara; 3 on 23<sup>rd</sup> Begnas Tal
- Grey-headed Flycatcher (*Culicicapa ceylonensis*):** 1 on 6<sup>th</sup> Phewa Tal; 1 on 9<sup>th</sup> Hyengja; 1 on 22<sup>nd</sup> Pokhara; 2 on 25<sup>th</sup> Balaju
- Yellow-bellied Fantail (*Rhipidura hypoxantha*):** 2 on 5<sup>th</sup> Phewa Tal; 1 on 6<sup>th</sup> Phewa Tal; 2 on 9<sup>th</sup> Hyengja + 1 Lumbi + 1 Chandrakot; 1 on 10<sup>th</sup> Tirkedhunga; 1 on 12<sup>th</sup> Sikha; 1 on 14<sup>th</sup> Ghara; 1 on 18<sup>th</sup> Ghara to Tatopani + 1 below Ghara; 1 on 19<sup>th</sup> Sikha; 1 on 20<sup>th</sup> above Ulleri + 10 Birrthanti; 5 on 21<sup>st</sup> Birrthanti + 2 Khare + 5 Naudanda; 3 on 22<sup>nd</sup> Hyengja; 5 on 23<sup>rd</sup> Begnas Tal; 2 on 25<sup>th</sup> Balaju; 5 on 26<sup>th</sup> Phul Chawki
- White-throated Fantail (*Rhipidura albicollis*):** 1 on 9<sup>th</sup> Khare; 3 on 21<sup>st</sup> Naudanda; 1 on 23<sup>rd</sup> Begnas Tal

Rusty-cheeked Scimitar-Babbler (*Pomatorhinus erythrogenys*) : 8 on 5K Phewa Tal ; 1 on 26K Phul Chowk  
 White-browed Scimitar-Babbler (*Pomatorhinus schisticeps*) : 3 on 28<sup>th</sup> Begnas Tal  
 Black-chinned Babbler (*Stachyris pyrrhopygia*) : 10 on 10K Tirkedhunga ; 5 on 21<sup>st</sup> Chandrikot + 2 Naudanda ; 1 on 25<sup>th</sup> Balaju  
 Grey-throated Babbler (*Stachyris nigricollis*) : 3 on 10K Tirkedhunga ; 1 on 21<sup>st</sup> Chandrikot ; 10 on 26K Phul Chowk  
 Brown Parrotbill (*Paradoxornis unicolor*) : 5 on 12K above Ghorepani (11000')  
 Spiny Babbler (*Turdoides nipalensis*) : 3 on 5K Phewa Tal ; 1 on 9K Lumle  
 White-throated Laughing-thrush (*Garrulax albogularis*) : 40 on 11K Thanti ; 20 on 19K Sikkha ; 50 on 26K Phul Chowk  
 Striated Laughing-thrush (*Garrulax striatus*) : 2 on 11K Thanti  
 White-crested Laughing-thrush (*Garrulax leucophrys*) : heard on 9K Sikkhet + Naudanda + Lumle + 3 below Chandrikot ; 2 on 21<sup>st</sup> Naudanda ;  
     heard on 22<sup>nd</sup> Naudanda ; heard on 23<sup>rd</sup> Begnas Tal ; 10 on 26K Godavari  
 Variegated Laughing-thrush (*Garrulax variegatus*) : 5 on 14K near Tukche  
 Rufous-chinned Laughing-thrush (*Garrulax rufogularis*) : 2 on 26K Phul Chowk  
 Striped Laughing-thrush (*Garrulax lineatus*) : 5 on 12K Chitre ; 5 on 13K Kopchepani ; 10 on 14K Ghasa ; 14 on 17K south of Tukche + 3 Kalopani ;  
     1 heard on 26K Godavari  
 Black-faced Laughing-thrush (*Garrulax affinis*) : 30 on 11K Ghorepani ; 5 on 12K Ghorepani ; 1 on 14K near Tukche  
 Chestnut-crowned Laughing-thrush (*Garrulax erythrophthalmus*) : 15 on 11K Thanti ; 5 on 14K Ghasa ; 15 on 20K Ghorepani ; 15 on 26K Phul Chowk  
 Red-billed Leiothrix (*Leiothrix lutea*) : 1 on 13K Ghasa ; 8 on 26K Phul Chowk  
 Green Shrike-Babbler (*Pteruthius xanthochlorus*) : 5 on 11K Ghorepani ; 2 on 12K Ghorepani ; 2 on 14K Ghasa + 2 Kalopani to Tukche ; 5 on 20K Ghorepani  
 Black-eared Shrike-Babbler (*Pteruthius melanotis*) : 1 on 20K Ghorepani  
 Hoary Starling (*Actinodura nipalensis*) : 2 on 11K Ghorepani ; 10 on 12K Ghorepani ; 2 on 19K Ghorepani ; 2 on 20K Ghorepani  
 Blue-winged Minla (*Minla cyanouraoptera*) : 5 on 9K Naudanda ; 3 on 21<sup>st</sup> Chandrikot + 5 Naudanda ; 5 on 23<sup>rd</sup> Begnas Tal ; 5 on 26K Phul Chowk  
 Chestnut-tailed Minla (*Minla strigula*) : 5 on 9K Lumle ; 5 on 12K Ghorepani + 10 Chitre ; 20 on 13K Ghasa ; 20 on 19K Ghorepani ;  
     25 on 20K Ghorepani ; 20+ on 21<sup>st</sup> Chandrikot  
 Red-tailed Minla (*Minla strigula*) : 1 on 11K Ghorepani ; 2 on 21<sup>st</sup> Naudanda  
 Rufous-winged Fulvella (*Alecippe castaneiceps*) : 40 on 10K Tirkedhunga + 2 Thanti ; 15 on 21<sup>st</sup> Naudanda ; 2 on 26K Phul Chowk  
 White-browed Fulvella (*Alecippe Vinipester*) : 30 on 11K Ghorepani + 25 on 12K ; 3 on 13K Ghasa ; 20 on 14K Ghasa to Lete + 10 Kalopani to Tukche ;  
     1 on 18K Ghasa ; 2 on 20K Ghorepani  
 White-eyed Fulvella (*Alecippe nipalensis*) : 15 on 26K Phul Chowk  
 Black-capped Sibia (*Heterophasia Capistrata*) : 7 on 10K Thanti ; 30 on 12K Ghorepani ; 15 on 19K above Kopchepani + 5 Ghasa ; 12 on 14K Ghasa to Lete  
     + 5 Kalopani to Tukche ; 5 on 17K Lete ; 15 on 19K Ghorepani ; 15 on 20K Ghorepani ; 40 on 26K Phul Chowk  
 Whiskered Yuhina (*Yuhina flavicollis*) : 1 on 9K Naudanda ; 5 on 13K Ghasa ; 20 on 14K Ghasa to Lete ; 15 on 17K Lete to Ghasa ; 15 on 21<sup>st</sup> Chandrikot + 10 Naudanda ;  
     20 on 26K Phul Chowk  
 Stripe-throated Yuhina (*Yuhina gularis*) : 100 on 11K Ghorepani + 10 on 12K ; 50 on 20K Ghorepani  
 Rufous-vented Yuhina (*Yuhina occipitalis*) : 40 on 11K Ghorepani + 20 on 12K ; 25 on 13K above Kopchepani ; 15 on 20K Ghorepani  
 White-bellied Yuhina (*Yuhina zantholaema*) : 2 on 23<sup>rd</sup> Begnas Tal  
 Black-throated Tit (*Apethelos concinnus*) : 10 on 12K Ghorepani ; 10 on 13K above Kopchepani ; 4 on 14K Ghasa-Lete + 30 Kalopani-Tukche ;  
     10 on 17K Lete ; 5 on 18K Ghasa ; 15 on 19K Sikkha ; 30 on 26K Godavari  
 Yellow-browed Tit (*Sylviurus modestus*) : 5 on 11K Ghorepani + 5 on 12K ; 3 on 14K Lete + 2 Kalopani-Tukche ; 1 on 17K Lete ;  
     1 on 19K Ghorepani + 2 on 20K  
 Grey-crested Tit (*Parus dichrous*) : 20 on 11K Ghorepani ; 25 on 12K Ghorepani ; 20 on 14K Lete + 5 Kalopani-Tukche ; 15 on 19K Ghorepani + 2 on 20K  
 Rufous-vented Black Tit (*Parus rufigularis*) : 30 on 11K Ghorepani + 40 on 12K ; 3 on 14K Kalopani-Tukche ; 5 on 19K Ghorepani + 1 on 20K  
 Coal Tit (*Parus ater*) : 3 on 12K Ghorepani ; 25 on 14K Lete + 5 Kalopani-Tukche ; 2 on 15K Tharkot ; 2 on 20K Ghorepani  
 Great Tit (*Parus major*) : 3 on 5K Phewa Tal ; 1 on 9K Lumle (5150') ; 2 on 21<sup>st</sup> Birithanti + 1 Naudanda ; 5 on 22<sup>nd</sup> Sikkhet ; 1 on 23<sup>rd</sup> Begnas Tal  
 Green-backed Tit (*Parus monticolus*) : 4 on 9K Lumle ; 2 on 10K Tirkedhunga ; 2 on 11K Ghorepani ; 10 on 12K Ghorepani + 8 Sikkha ; 5 on 13K Kopchepani +  
     10 Kopchepani-Ghara + 5 Ghara ; 20 on 14K Ghara + 10 Kalopani-Tukche ; 2 on 15K Marpha-Jomsom ; 1 on 17K Jomsom-Marpha +  
     2 Tukche-Kalopani + 10 Lete ; 10 on 18K Ghara ; 10 on 19K Sikkha + 1 Ghorepani ; 2 on 21<sup>st</sup> Chandrikot ; 5 on 26K Phul Chowk  
 Black-lored Tit (*Parus xanthogenys*) : 1 on 5K Phewa Tal ; 3 on 9K Naudanda + 15 Lumle ; 5 on 10K Tirkedhunga + 2 on 20K ; 2 on 21<sup>st</sup> Birithanti +  
     2 Kharo + 15 Naudanda ; 3 on 22<sup>nd</sup> Naudanda ; 5 on 25K Balaju ; 25 on 26K Godavari  
 White-tailed Nuthatch (*Sitta himalayensis*) : 2 on 10K Thanti ; 5 on 11K Ghorepani ; 15 on 12K Ghorepani + 5 Sikkha ; 10 on 14K Lete + 3 Kalopani-Tukche ;  
     5 on 19K Ghorepani ; 5 on 26K Phul Chowk  
 Chestnut-bellied Nuthatch (*Sitta castanea*) : 1 on 20K Tirkedhunga ; 2 on 21<sup>st</sup> Birithanti ; 1 on 23<sup>rd</sup> Begnas Tal ; 1 on 25K Balaju  
 Velvet-fronted Nuthatch (*Sitta frontalis*) : 2 on 23<sup>rd</sup> Begnas Tal  
 Wallcreeper (*Tichodroma muraria*) : 5 on 4K Butwal-Pokhara ; 1 on 8K 50-120 km W. of Kathmandu + 6 Hyengjin ; 3 on 10K above Ulleri ; 1 on 13K Kopchepani ;  
     5 on 15K Jomsom + 4 Tharkot ; 1 on 16K Muktinath + 3 Jomsom ; 2 on 17K Marpha + 2 Tukche + 1 above Kalopani ; 1 on 20K above Ulleri ;  
     1 on 21<sup>st</sup> Naudanda ; 1 on 22<sup>nd</sup> Hyengjin + 2 Pokhara ; 2 on 24K 50-120 km W. of Kathmandu  
 Brown-throated Treecreeper (*Certhia discolor*) : 2 on 26K Godavari  
 Rusty-flanked Treecreeper (*Certhia nipalensis*) : 1 on 10K Thanti ; 4 on 11K Ghorepani + 2 on 12K ; 1 on 14K Lete ; 3 on 19K Ghorepani + 4 on 20K  
 Common Treecreeper (*Certhia familiaris*) : 2 on 12K Ghorepani ; 1 on 14K Lete + 2 Kalopani-Tukche ; 3 on 15K Tharkot ; 1 on 19K Ghorepani  
 Mrs Gould's Sunbird (*Aethopyga gouldiae*) : 1 ♂ on 10K above Ulleri (7800')  
 Green-tailed Sunbird (*Aethopyga nipalensis*) : 1 on 10K Tirkedhunga ; 5 on 11K Ghorepani + 10 on 12K ; 1 on 19K Sikkha + 3 Ghorepani ; 3 on 20K Ghorepani +  
     1 Ulleri + 1 Tirkedhunga ; 2 on 21<sup>st</sup> Birithanti ; 5 on 26K Phul Chowk  
 Black-throated Sunbird (*Aethopyga saturata*) : 1 ♂ on 21<sup>st</sup> Birithanti ; 2 on 26K Phul Chowk  
 Crimson Sunbird (*Aethopyga siparaja*) : 3 on 5K Phewa Tal + 1 in 6<sup>th</sup> ; 1 on 9K Hyengjin ; 1 on 20K Tirkedhunga ; 3 on 21<sup>st</sup> Birithanti  
 Fire-tailed Sunbird (*Aethopyga ignicauda*) : 15 on 11K Ghorepani + 2 on 12K ; 30 on 13K above Kopchepani ; 3 on 18K Ghara ; 15 on 20K Ghorepani ;  
     2 on 25K Balaju ; 5 on 26K Phul Chowk

Buff-bellied Flowerpecker (*Dicaeum ignipectus*) : 1♀ on 5K Phewa Tal; 1 on 12K Ghorepani + 1 on 20K; 1 on 21st Chandrakot; 10 on 26K Phul Chawki  
 Oriental White-eye (*Zosterops palpebrosa*) : 1+ on 9K Hyangja + 1+ Birithanti; 5 on 10K Tirkedhunga; 1+ on 13K Tatopani + 1+ Ghara; 1 on 14K Ghara;  
     1+ on 18K Ghara-Tatopani + 2 Khare; 10 on 19K Sikha; 1+ on 20K Birithanti + 1 on 21st; 10 on 23rd Begnas Tal; 5 on 25K Balgaj; 20 on 26K Godavari  
 Maroon Oriole (*Oriolus traillii*) : 2 on 23rd Begnas Tal; 1 on 26K Phul Chawki  
 Black-headed Oriole (*Oriolus xanthornus*) : 1 on 23rd Begnas Tal  
 Brown Shrike (*Lanius cristatus*) : 1 on 7K Bagmati R., Kathmandu; 2 on 25K Balgaj  
 Long-tailed Shrike (*Lanius schach*) : 1 on 4K Ghorepani (L.s. erythronotus). L.s. tricolor : - 1 on 4K Ghorepani + 1 Butwal-Pokhara; 12 on 5K Phewa Tal;  
     + 1 Butwal-Pokhara  
     10 on 6K Pokhara-Kathmandu; 5 on 7K Bagmati R., Kathmandu; 4 on 8K Kathmandu; 1 on 9K Lumbi; 2 on 19K Sikha; 5 on 22nd Pokhara;  
     12 on 24K Kathmandu + 120 km W + 115 km W; 10 on 25K Balgaj; 1 on 26K Godavari road  
 Gray-backed Shrike (*Lanius tephronotus*) : 1 on 9K Jharkot; 1 on 20K Birithanti; 1 on 25K Balgaj  
 Black Drongo (*Dicrurus macrocercus*) : 5 on 4K Ghorepani + 10 Butwal; 30 on 5K Phewa Tal + 15 on 6K; 4 on 7K Kathmandu; 8 on 8K Kathmandu + 3 50-120 km W  
     + 3 120-165 km W + 1 Pokhara; 15 on 9K Hyangja; 2 on 22nd Pokhara; 10 on 23rd Begnas Tal; 5 on 24K Kathmandu + 3 50-120 km W + 1 120-165 km W;  
     10 on 25K Balgaj; 5 on 26K Godavari  
 Ashy Drongo (*Dicrurus leucophaeus*) : 1 on 20K Tirkedhunga; 1 on 23rd Begnas Tal  
 Brazen Drongo (*Dicrurus aeneus*) : 1 on 5K Phewa Tal; 1 on 6K 115 km W of Kathmandu; 5 on 9K Chandrakot; 2 on 21st Chandrakot; 5 on 23rd Begnas Tal  
 Spangled Drongo (*Dicrurus hottentitus*) : 1 on 24K Phewa Tal  
 Eurasian Jay (*Corvus glandarius*) : 1 on 26K Phul Chawki  
 Yellow-billed Blue Magpie (*Urocissa flavirostris*) : 10 on 11K Lete; 3 on 14K Lete + 1 on 17K; 2 on 19K Ghorepani  
 Red-billed Blue Magpie (*Urocissa erythrorhyncha*) : 4 on 9K Chandrakot; 1 on 23rd Begnas Tal; 5 on 26K Godavari  
 Rufus Treepie (*Dendrocitta vagabunda*) : 1 on 9K Hyangja; 1 on 10K Birithanti; 1 on 22nd Pokhara; 1 on 24K 120-165 km W of Kathmandu  
 Gray Treepie (*Dendrocitta formosa*) : 10 on 5K Phewa Tal; 2 on 6K 150 km W of Kathmandu; 20 on 9K Hyangja + 20 Chandrakot; 20 on 10K Birithanti;  
     3 on 21st Chandrakot + 20 Naudanda; 30 on 22nd Hyangja; 20 on 23rd Begnas Tal; 25 on 26K Godavari  
 Nutcracker (*Nucifraga caryocatactes*) : 10 on 14K Lete; 2 on 17K Lete  
 Red-billed Chough (*Falco rufigularis*) : 1000 on 15K Marpha; 200 on 16K Jharkot; 1000 on 17K Jomsom-Marpha  
 House Crow (*Corvus splendens*) : Sonauli + Ghorepani + Butwal + Pokhara on 4K; 25 on 5K Phewa Tal + 20 on 6K; 50 on 7K Kathmandu; Kathmandu + 2 Pokhara on 8K;  
     2 on 9K Hyangja; 5 on 22nd Pokhara + 2 on 23rd; 1 on 24K Kathmandu + 30 on 25K  
 Jungle Crow (*Corvus macrorhynchos*) : Ghorepani + 2 Butwal on 4K; 40 on 5K Phewa Tal + 20 on 6K; 30 on 7K Kathmandu; 2 on 8K 50-120 km W of Kathmandu +  
     3 120-165 km W; 5 on 9K Hyangja + 20 Naudanda + 10 Chandrakot; 10 on 10K Birithanti + 40 Ulleri; 25 on 11K Ghorepani; 20 on 12K Ghorepani + Sikha;  
     10 on 13K Tatopani + 2 Kopcheperi; 5 on 14K Lete; 2 on 15K Marpha + 2 Jharkot; 2 on 16K Jharkot; 3 on 18K Dara; 5 on 19K Sikha + 5 Ghorepani;  
     5 on 20K Ghorepani + 5 Ulleri + 2 Tirkedhunga; 5 on 21st Birithanti + 5 Chandrakot + 15 Naudanda; 5 on 22nd Naudanda + 10 Hyangja + 30 Pokhara;  
     30 on 23rd Begnas Tal; 2 on 24th Kathmandu + 1 120-165 km W; 10 on 25K Balgaj; 10 on 26K Godavari  
 Raven (*Corvus corax*) : 2 on 16K Mukti Nath; 2 on 17K Jomsom-Marpha  
 Spot-winged Starle (*Sturnella spiloptera*) : 1 on 6K Phewa Tal  
 Chestnut-tailed Starling (*Sturnus malabaricus*) : 5 on 6K Phewa Tal  
 Brinibring Starling (*Sturnus pagodarum*) : 1 on 5K Phewa Tal  
 Common Starling (*Sturnus vulgaris*) : 4 on 4K Ghorepani; 2 on 6K Phewa Tal  
 Asian Pied Starling (*Sturnus contra*) : Sonauli - Ghorepani on 4K  
 Common Myna (*Acridotheres tristis*) : Sonauli + Ghorepani + Butwal + Pokhara on 4K; 100 on 5K Phewa Tal + 50 on 6K; 50 on 7K Kathmandu;  
     Kathmandu - Pokhara (all squares) on 8K; 50 on 9K Hyangja + 30 Naudanda + 20 Lumbi; 3 on 10K Ulleri; 30 on 12K Ghara + 5 on 18K; 10 on 19K Sikha;  
     10 on 21st Khare + 30 Naudanda; 10 on 22nd Naudanda + 50 Hyangja + 100 Pokhara; 50 on 23rd Begnas Tal; 150 on 25K Kathmandu + 40 on 26K  
 Jungle Myna (*Acridotheres fuscus*) : 150 on 5K Phewa Tal + 50 on 6K; 10 on 7K Kathmandu + 5 on 8K  
 Baya Weaver (*Ploceus philippinus*) : 5 on 25K Balgaj  
 Cinnamon Sparrow (*Passer rutilans*) : 2 on 9K Hyangja; 12 on 12K Sikha; 5 on 18K below Ghara; 12 on 19K Sikha; 6 on 21st Chandrakot  
 House Sparrow (*Passer domesticus*) : Sonauli, Ghorepani, Butwal, Pokhara 4K; Phewa Tal 5K; Kathmandu 7K; Hyangja - Khare 9K; 5 on 10K Ulleri;  
     10 on 21st Naudanda; 50-120 km W of Kathmandu + 120-165 km W on 24K  
 Tree Sparrow (*Passer montanus*) : 100 on 5K Phewa Tal; 50 on 6K Kathmandu + 100 on 7K + 5 on 8K; 5 on 9K Naudanda; 15 on 14K Ghara;  
     80 on 15K Marpha-Jomsom + 70 Jharkot; 50 on 16K Jharkot; 100 on 17K Jomsom-Marpha + 30 Marpha-Tukche + 30 Tukche-Kalapani;  
     20 on 19K Sikha; 1 on 20K Ulleri; 10 on 22nd Pokhara; 5 on 24K Kathmandu + 50 on 25K + 5 on 26K  
 Indian Silverbill (*Caudice malabarica*) : 2 on 4K Sonauli  
 Striated Manakin (*Lamchura striata*) : 2 on 5K Phewa Tal; 6 on 9K Hyangja + 1 Chandrakot; 7 on 10K Tirkedhunga + 8 on 20K;  
     5 on 21st Khare; 5 on 23rd Begnas Tal  
 Spotted Manakin (*Lamchura punctulata*) : 2 on 5K Phewa Tal; 8 on 23rd Begnas Tal; 8 on 26K Godavari  
 Chaffinch (*Fringilla coelebs*) : 3 on 17K Lete  
 Red-fronted Serin (*Serinus pusillus*) : 30 on 19K Kaku; 14 on 15K Jomsom + 40 Jharkot; 1 on 16K Mukti Nath + 5 Jomsom; 30 on 17K Jomsom-Marpha +  
     20 Tukche-Kalapani + 1 Lete  
 Yellow-breasted Greenfinch (*Carduelis spinus*) : 30 on 5K Phewa Tal + 10 on 6K; 12 on 9K Hyangja; 20 on 26K Godavari  
 Eurasian Goldfinch (*Carduelis carduelis*) : 1 on 19K Sikha  
 Plain Mountain Finch (*Leucosticte nemoralis*) : 50 on 15K Jharkot  
 Dark-breasted Rosefinch (*Carpodacus nigrescens*) : 20 on 10K Thare; 1 on 11K Ghorepani + 4 on 12K; 2 on 18K Kopcheperi + 1 below Khare;  
     2 on 19K Sikha + 5 Ghorepani; 2 on 20K Ghorepani; 30 on 26K Phul Chawki  
 Common Rosefinch (*Carpodacus erythrinus*) : 3 on 9K Hyangja; 3 on 26K Godavari  
 Beautiful Rosefinch (*Carpodacus pulcherrimus*) : 3 on 11K Ghorepani + 50 on 12K; 1 on 14K Kalapani + 20 Kalapani-Tukche + 25 Tukche-Marpha;  
     30 on 15K Marpha-Jomsom + 20 Jharkot; 30 on 16K Jharkot; 10 on 17K Jomsom-Marpha + 5 Marpha-Tukche + 10 Tukche-Kalapani + 10 Lete; 2 on 19K Ghorepani  
 Pink-browed Rosefinch (*Carpodacus rhodochrous*) : 2 on 11K Ghorepani + 1 on 12K; 1 on 13K Ghara; 2 on 14K above Kalapani  
 Spot-winged Rosefinch (*Carpodacus rhodopeplus*) : 3 on 11K Ghorepani + 18 on 12K; 18 on 14K south of Tukche  
 Streaked Great Rosefinch (*Carpodacus rubicilloides*) : 3 on 15K Jharkot; 1 on 16K Mukti Nath  
 Gold-naped Finch (*Pyrrhophlectes epauletta*) : 1♂ on 24K Phul Chawki  
 Red-headed Bullfinch (*Pyrrhula erythrorycephala*) : 6 on 12K Ghorepani; 2+ on 20K Ghorepani  
 Collared Grosbeak (*Mycerobas affinis*) : 2 on 12K Ghorepani; 1 Kalapani-Tukche

Pine Bunting (*Emberiza leucocephala*) : 20 on 14<sup>th</sup> Lete + 1 Morph ; 20 on 15<sup>th</sup> Morph-Jomsom ; 50 on 17<sup>th</sup> Jomsom-Morph + 1 Tukche + 40 Lete

Rock Bunting (*Emberiza Cia*) : 1 on 13<sup>th</sup> Kapchepani + 2 Kapchepani-Ghasa ; 10 on 14<sup>th</sup> Ghasa-Kalapani + 10 Kalapani-Tukche + 5 Tukche-Morph ; 80 on 15<sup>th</sup> Morph-Jomsom + 50 Jharkot ; 2 on 16<sup>th</sup> Jharkot ; 20 on 17<sup>th</sup> Jomsom-Morph + 10 Morph-Tukche + 15 Tukche-Kalapani + 10 Kalapani-Lete ; 15 on 18<sup>th</sup> Ghasa-Kapchepani ; 10 on 19<sup>th</sup> Sitta

Little Bunting (*Emberiza pusilla*) : 1 on 9<sup>th</sup> Kyangza ; 2 on 19<sup>th</sup> Sitta ; 4 on 23<sup>rd</sup> Begnas Tal

Yellow-breasted Bunting (*Emberiza aureola*) : 1 on 23<sup>rd</sup> Begnas Tal

Crested Bunting (*Melophus lathami*) : 1 on 4<sup>th</sup> Bishal-Pokhara ; 3 on 5<sup>th</sup> Phewa Tal

( )

( )